



COFFEE BREAK





© 1996 by Beth Donaldson

All instructions include $\frac{1}{4}$ " seam allowances (unless otherwise noted).



Rotary Cut


- From each of the 4 different fabrics for A, cut 1 rectangle, $3\frac{1}{2}$ " x $3\frac{3}{4}$ ".
- From each of the 4 different fabrics for B, cut 1 rectangle, $1\frac{1}{2}$ " x 6".
- From each of the 4 different fabrics for C, cut 1 rectangle, $1\frac{1}{2}$ " x $2\frac{1}{4}$ ".
- From the fabric for D, cut 8 squares, $1\frac{1}{4}$ " x $1\frac{1}{4}$ ".
- From the fabric for E, cut 2 rectangles, $1\frac{1}{2}$ " x 3".
- From the fabric for F, cut 4 rectangles, $1\frac{1}{2}$ " x $1\frac{3}{4}$ ".
- From the fabric for G, cut 4 rectangles, $1\frac{3}{4}$ " x $3\frac{1}{2}$ ".
- From the fabric for H, cut 2 rectangles, $3\frac{1}{2}$ " x 5".
- From the fabric for I, cut 4 rectangles, 2" x 5".
- From the fabric for J, cut 1 rectangle, $1\frac{1}{2}$ " x $12\frac{1}{2}$ ".




Machine Piece

1. Stitch a rectangle G to each rectangle A. Press toward the rectangles A.


make 4




2. On the wrong side of each square D, draw a diagonal line. With right sides together, layer the squares D on adjacent corners of each A. Sew on the diagonal lines, cut $\frac{1}{4}$ " from the just sewn seam and press toward the D.




3. Using the cup handle template, trace the design onto the right side of each rectangle C. (You may want to transfer the cup handle onto template plastic or freezer paper first.) Add $\frac{3}{16}$ " seam allowance to the curved edges of the cup handle as you cut them out of the C's. With right sides facing up, align the cup handle on the left edges of each rectangle H and 2 rectangles I. The finished edge of the cup lays 2" below the cut edges of rectangles H and I. Clip the inner curves, turn under the edges and appliqué the curved edges to the rectangles using a hand or machine blind stitch.




4. Sew the remaining I's, the cups and handles to make 2 strips. Press away from the cups.




5. On the wrong side of each rectangle F, draw a diagonal line as shown.




6. With right sides together, place the rectangles F on the rectangles B as shown. 2 rectangles F will be on the left sides of the rectangles B and 2 rectangles F will be on the right sides of the rectangles B. Stitch on the diagonal lines, trim $\frac{1}{4}$ " beyond the lines and press toward the rectangles F.




7. Draw 2 diagonal lines on the wrong sides of both rectangles E. With right sides together layer the E's on 2 of the B's as shown. Stitch on the diagonal lines, trim $\frac{1}{4}$ " beyond the stitching and press toward the B's.



8. With right sides together, layer the just sewn saucers on the remaining saucers as shown. Stitch on the diagonal lines, trim $\frac{1}{4}$ " beyond the stitching and press toward the right hand saucers.



9. Layout all the strips and sew the last four seams. Press seams as shown. Congratulations, your block is now finished and should measure $12\frac{1}{2}$ " x $12\frac{1}{2}$ " square. Use this block in a project of your own or in a *Block By Block* quilt.



Check out <http://quiltdoctor.blogspot.com/> for more free patterns